

USE AND CARE BOOKLET
PRIMERO / PRIMERO AIR
SAFETY HELMET FOR INDUSTRIAL USE

FIG. 1




FIG. 2




FIG. 3




FIG. 4a 4b




FIG. 5




FIG. 6





FIG. 7



KASK S.p.A.
 24060 Chiuduno, BG
 Via Firenze, 5 - Italy
 t. +39 035 4427497
 info@kask.com
 www.kask.com



ANSI/ISEA Z89.1
 TYPE I CLASS C / E

EXPLANATORY MARKING DIAGRAM



MANUFACTURER	MODEL NAME
REFERENCE TO LEGISLATION	HELMET WEIGHT
DATE OF MANUFACTURE	HELMET SIZE
ADDITIONAL REQUIREMENTS	

FAC-SIMILE LABELLING


Manufacturer: KASK S.p.A. Via Firenze 5 - 24060 Chiuduno BG - Italy	Model: PRIMERO Weight: 0.97 lb - 440 g
Standard: ANSI Z89.1-2014 Type I - Class E	Size: Adjustable 6 1/2 - 7 7/8
Optional requirement: LT - HT	52 - 63cm
Date: impressed on the shell	SN: 22.1234567.1234

i Complies with requirements of the European Standard EN12492:2012 - Shock energy absorption capacity - Clauses 4.2.1.2 (front), 4.2.1.3 (lateral), 4.2.1.4 (rear); Penetration : 4.2.2 - Retention system strength - 4.2.3; Retention system effectiveness (Roll off) - 4.2.4. kask.com

NOMENCLATURE



DATE OF MANUFACTURE



Size:	PRIMERO	6 1/2 - 7 7/8	ADJUSTABLE
		52 - 63 cm	

